

Technical Product Guide



 **TIMBMET**

Everything wood should be



Timbmet are a UK, family owned business and market-leading timber importer and distributor. With over 70 years of knowledge and experience, we are able to supply a vast range of timber and timber related products from our extensive UK distribution network.



Contents

Better products

Timbmet has one of the UK's most extensive product ranges that includes:

- Sawn Hardwoods
- Clear Softwoods
- Mouldings
- Hardwood Decking
- Panel Products
- Flooring
- Worktops
- Doors
- TEC® (Timbmet Engineered Components)

Better service

National Delivery

A reliable, national delivery of our vast stock from our large warehouse facilities, covering the whole of the UK.

Manufacturing Services

A comprehensive range of services including the ability to mould, lacquer, stain, prime and CNC to exact requirements.

Online ordering

Our unique online ordering service iPack®, enables you to order the products you want when you want – **24 hours a day, 7 days a week.**

Better support

To find out more about our wide range of products and services please contact:

telephone: **01865 860350/1**

or visit:

www.timbmet.com

Sawn Hardwoods & Clear Softwoods	4
Mouldings	6
Hardwood Decking	8
Manufacturing Services	9
Panel Products	10
Flooring	14
Worktops	16
Doors	17
TEC® (Timbmet Engineered Components)	20
iPack® online ordering	22
Responsible Business and Certification	23

Sawn Hardwoods & Clear Softwoods



4

Timbmet offers one of the most comprehensive ranges of Sawn Hardwoods & Clear Softwoods available in the UK.

Our hardwood range encompasses temperate and tropical timbers from across the world, Ash through to Walnut and over 40 species in between. Many of our timbers have Chain of Custody and Forest Stewardship Council (FSC) certification.

Our softwood range spans clear softwoods such as Douglas Fir and Western Red Cedar from Canada and North America through to Scandinavian Redwoods.

PACK Deal

Bulk buy for a better deal

Pack Deal represents amazing value for money and is a great way of cutting costs on large timber orders.

Benefits:

- ✓ 3000 plus Pack Deal packs
- ✓ Sapele, Idigbo, Iroko, White Oak, Black Walnut and more
- ✓ Many with Chain of Custody certification
- ✓ Compact and easy to handle

For more information call the Pack Deal team t: 0800 085 1687

mini packs

Keep stock topped up

Mini packs are a cost effective way to buy sawn timber in packs of less than 1m³.

Benefits:

- ✓ Wide range of hardwoods and clear softwoods available
- ✓ European and American Oak, Sapele, Idigbo, Iroko, Douglas Fir and more
- ✓ Many with Chain of Custody certification
- ✓ Ideal way to buy smaller quantities, top up stocks or to cover small specifications
- ✓ Full range of widths and lengths available

* European Oak, Western Red Cedar and Tulipwood packs less than 1.5m³

5

	Durability	Appearance	Spec	Weight	Uses
Ash, American SE FAS KD					
	Not durable Class 5	White to pale yellow, bold and straight grain with medium texture	2.4m and longer, 100mm and wider	660kg/m ³ average	Internal joinery, flooring, tool handles
Idigbo SE FAS KD					
	Durable Class 2	Yellow to yellow-brown, generally straight but occasionally irregular or interlocking grain with medium to coarse texture	1.8m and longer, 100mm and wider	560kg/m ³ average	Furniture, interior and exterior joinery
Iroko SE FAS KD					
	Very durable Class 1	Light yellow to dark golden brown, interlocked and typically irregular grain with fine and even texture	1.8m and longer, 100mm and wider	660kg/m ³ average	Interior and exterior joinery, boat building, constructional work
Meranti, Dark Red SE FAS KD					
	Slightly durable Class 4	Dark brown to deep red, typically interlocked grain with coarse texture	2.4m and longer, 150mm and wider	690kg/m ³ average	Joinery
Oak, American White SE FAS KD					
	Moderately durable Class 3	Light tan to dark brown, usually straight and open grain with medium to coarse texture	1.8m and longer, 100mm and wider	770kg/m ³ average	Joinery, furniture, shopfitting, flooring
Oak, European SE KD					
	Durable Class 2	Light brown with a golden hue, usually straight grain but can be wavy with medium to coarse texture	1.8m and longer, 100mm and wider	720kg/m ³ average	Joinery, furniture, flooring, cladding
Sapele					
	Moderately durable Class 3	pinkish brown to reddish copper-brown, moderately interlocked and sometimes wavy grain with fine texture	1.8m and longer, 100mm and wider	640kg/m ³ average	Joinery, furniture, shopfitting
Red Grandis™					
	Durable Class 2/ Moderately durable Class 3	Light red to pinkish brown, mild grain with even texture	1.8m and longer, 75mm and wider	595kg/m ³ average	Mouldings, exterior and interior joinery
Walnut, American SE FAS KD					
	Moderately durable Class 3	Rich chocolate-brown to a purplish-black, straight grain, but can be wavy with fine and even but coarse texture	1.8m and longer, 100mm and wider	660kg/m ³ average	Joinery, furniture

Many other species available from stock - call 01865 860350/1

Mouldings

Timbmet offer a wide range of hardwood and clear softwood mouldings from stock.

The quality of our mouldings is unrivalled and are available in traditional or contemporary pre-machined designs. Many are available in certified timber.

For bespoke mouldings see page 9.



Profiles	FSC Red Grandis™	MTCS Meranti	American White Oak	Southern Yellow Pine
PAR				
10 x 46mm	✓	✓		
15 x 95mm		✓		
18 x 32mm	✓			
20 x 44mm	✓	✓		
20 x 45mm			✓	
20 x 68mm	✓	✓		
20 x 70mm			✓	
20 x 94mm	✓	✓		
20 x 95mm			✓	
20 x 144mm	✓	✓		
20 x 145mm			✓	
20 x 194mm	✓	✓	✓	
20 x 220mm	✓	✓	✓	
21 x 287mm				✓
27 x 287mm				✓
33 x 95mm		✓		
33 x 145mm		✓		
33 x 287mm				✓

Profiles	FSC Red Grandis™	MTCS Meranti	American White Oak
PAR			
45 x 45mm	✓	✓	✓
45 x 70mm	✓	✓	✓
45 x 95mm	✓	✓	✓
45 x 145mm	✓	✓	✓
68 x 68mm	✓	✓	
69 x 94mm		✓	
94 x 94mm		✓	
Carpet step			
15 x 110mm	✓	✓	
15 X 132mm	✓	✓	
Skirting – Torus/Ogee			
18 x 145 x 3600mm			✓
20 x 144mm	✓		
Architrave			
12 X 42mm		✓	
Architrave – Torus/Ogee			
18 x 68 x 2100mm			✓
20 x 68mm	✓	✓	

Profiles	FSC Red Grandis™	MTCS Meranti	PEFC Western Red Cedar
Hockey Stick Glazing Bead			
22 x 26mm	✓	✓	
TGV			
16 x 94mm			✓
Weather Bar			
54 x 54 x 900mm	✓	✓	
Drop Siding (141mm overall – 125mm laid)			
18 x 141mm			✓
Cill			
44 x 169mm		✓	
57 x 145mm		✓	
57 x 169mm		✓	
Threshold Cill			
44 x 144mm	✓	✓	
Door Drip			
26 x 65mm		✓	
Mopstick			
45 x 45mm		✓	

Profiles	FSC Red Grandis™	MTCS Meranti	American White Oak
Ovolo Door Stop			
12 x 42mm		✓	
15 x 21mm		✓	
Window Board Nosed & Tongued			
26 x 218mm	✓	✓	
Door Frame Set Loose Stops			
115mm wide			✓
138mm wide			✓
Quadrant			
19 x 19mm	✓		
More profiles available			

Hardwood Decking



Timbmet are members of the Timber Decking and Cladding Association as such we can provide professional installation advice and comprehensive product support.

Our association with the TDCA also means all our decking products are endorsed through their Deckmark Plus performance rating scheme.

Timbmet supply a range of hardwood decking with FSC certified hardwoods available to order.

Decking is available in standard sizes from our own stock or as bespoke profiles through our fast track service. We are also able to manufacture bespoke accessories.

Benefits:

- ✓ Harder wearing and longer lasting
- ✓ Natural durability – the boards do not need immediate treatment
- ✓ Better colour range including darker/warmer colours

The deck boards do not normally require finishing. However, their appearance can be enhanced using modern decking finishes if required.

For more information call
t: 0800 085 1687

Standard Deck Boards



19 x 90mm reeded one side



21 x 145mm grooved one side



28 x 145 grooved one side



21 x 145 reversible grooved and reeded

Bespoke Deck Boards

We can supply deck boards to your own profile – just send a drawing. Depending on order size and profile details, this service normally takes around 7-10 days.

Manufacturing Services



Timbmet's manufacturing services are one of the most comprehensive in the UK.

We can advise, manufacture and deliver components to your requirements, making use of our technology, expertise and unparalleled range of timber to provide cost effective solutions. In addition, our Fast Track service means urgent orders can be completed within a minimum time frame.

Mouldings

Timbmet can advise on and manufacture bespoke timber mouldings.

Request a quote, send a description, CAD drawing or PDF and we can quickly and accurately produce any profile to an exact specification.

We stock an extensive range of hardwoods, clear softwoods and MDF for greater choice.

Finishing

Timbmet offer full factory finishing using water based coating systems; lacquering, staining, priming to meet most customer requirements.

We offer a water based spray facility to complement one off special requirements. For non standard products we can spray a

full factory finish from garage door to bespoke timber components and other non standard requirements.

CNC

We offer a comprehensive range of CNC machining and cutting capabilities. Sheet materials can be machined to a wide range of specifications accurately and quickly (maximum board size CNC: 3050 x 1525mm).

We have powerful CAD software to convert your sketch into the finished component; variations can be incorporated simply and quickly.

Engraving of patterns or text into the materials is straightforward and precise. We can label every component from your cutting list.

Fire treatment

Timbmet offer a comprehensive range of industrially applied fire

protection treatments.

We can treat your timber or supply treated timber to your exact specification, to meet ISO9001 Quality and ISO14001 Environmental standards.

Fire retardant treatments can be applied to timber and wood based substrates by vacuum pressure impregnation.

Please contact Timbmet for fire treatment lead times

t: 01865 860635

Panel Products



10



As a leading importer and distributor of panel products, we offer an extensive range including veneered boards, melamine faced boards and marine plywood as well as a range of 'specials' such as flexible MDF and plywood, and flame retardant products.

Our panels are available in a wide range of thicknesses and sizes.

Veneered boards

To complement our standard range of A/B quality faced boards Timbmet offer two further grade options on a variety of substrates including MDF, plywood, chipboard and blockboard.

White Oak signature range – superior quality faced board

Natural range – is an expression of the wood with its typical features; less pronounced or wilder structure, more colour variations, smaller series of runs and some pronounced knots. Acceptable for a variety of internal work

Veneers	Size (mm)	Pack quantity
White Ash natural/B	19 x 2440 x1220	40
Maple natural/B		
White Oak natural/B		
Black Walnut natural/B		

Also available: Jumbo sized boards – 3050 x 1830mm, in 19mm White Oak and American Black Walnut veneered MDF, Engineered Veneered MDF and White Oak Veneered MDF Mixmatch.

Melamine faced boards

Timbmet stock an extensive range of Kronospan and Egger melamine faced boards.

The range is available in many colourways from uni colours to woodgrain decors with a variety of textures from smooth high gloss finish through to a textured matt finish or woodgrain appearance.

Description	Size (mm)	Pack quantity
Chipboard	18 x 2800 x 2070	28
	18 x 2620 x 2070	25
MDF	18 x 2650 x 2070	26
	18 x 2620 x 2070	25

- ✓ All chipboard and MDF boards are FSC certified
- ✓ Edging available

Marine plywood

Far Eastern Marine plywood and Gaboon throughout

A range of standard construction marine plywood manufactured in accordance to BS 1088-2003 'Plywood for Marine Craft'.

Description	Size (mm)	Pack quantity
WBP: to BS 1088 – 2003	6 x 2440 x 1220	150
	9 x 2440 x 1220	100
	12 x 2440 x 1220	75
	18 x 2440 x 1220	50
	25 x 2440 x 1220	36

Anchor®-Khaya throughout multilam construction

Our Anchor brand plywood is established for high specification and quality, manufactured in accordance with BS 1088-2003, Lloyds register type approval certificate No. 02/00017.

Description	Size (mm)	Pack quantity
BS 1088 – 2003 Lloyds Approval Cert 02/00017	6 x 2440 x 1220	75
	9 x 2440 x 1220	45
	12 x 2440 x 1220	35
	18 x 2440 x 1220	25

11

Panel Products

Marine Hechthout

Exclusive to Timbmet

A marine plywood with a **twenty year manufacturer's guarantee** for weather and water resistance; manufactured in accordance with BS 1088 – 2003, Lloyds register type approval certificate No. 04/00047 (E2).

Description	Size (mm)	Pack quantity
5 ply	6 x 2500 x 1220	80
7 ply	12 x 2500 x 1220	40
11 ply	15 x 2500 x 1220	30
	18 x 2500 x 1220	25
15 ply	25 x 2500 x 1220	20

MDF

MDF is dense, flat, stiff has no knots and is easily machined. It can be painted to produce a smooth quality surface. As MDF has no grain it can be cut, drilled, machined and filled without damaging the surface.

Description	Environmental Certification	Thicknesses from (mm)	Standard sizes (mm)
Standard MDF (Finsa, Kronospan and Medite boards)	FSC and PEFC	2.5 – 50	2440 x 1220
			3050 x 1220
			2745 x 1525
Moisture resistant MDF (Kronospan and Medite boards)	FSC	6 – 30	2440 x 1220
			2745 x 1525
			3050 x 1220
Exterior MDF (Medite boards)	FSC	6 – 25	2440 x 1220
			3050 x 1220
Ultralight MDF (Medite boards – 30% lighter than standard MDF)	FSC	12 – 38	2440 x 1220
			2440 x 1830
			3050 x 1220
Fire Retardant MDF	FSC	4 – 25	2440 x 1220
			3050 x 1220

Also available: Deep rout/high density MDF, Medite Ecologique, Flooring quality MDF and Coloured MDF

Plywood

Plywood is made from thin sheets of wood veneer. It is resistant to cracking, shrinkage and twisting/warping. Strong and durable, plywood has a variety of uses from roofing and flooring to hoarding and walling.

Description	Environmental Certification	Thicknesses from (mm)	Standard sizes (mm)
Birch plywood (strong and high impact resistance)	FSC and PEFC	1.5 – 24	1220 x 2440
			1525 x 3050
			2440 x 1220
Poplar plywood (lightweight and stable)	PEFC	6 – 24	2500 x 1220
Tropical plywood (for exterior applications where surface finish is important)	FSC	4 – 25	2440 x 1220
			2500 x 1220
			3050 x 1525
Softwood plywood (outdoor projects (exterior rated))	PEFC	9 – 24	2440 x 1220
			3050 x 1220

Many other boards are available: Flexible products, OSB, chipboard & blockboard, Sundeala, Hardboard and insulation boards, aesthetic boards and conditioning fibreboards.



For more detailed information on Timbmet's Panel Products request a brochure e: marketing@timbmet.com

Flooring



14

The Timbmet flooring range comprises high quality solid hardwood and engineered flooring suitable for commercial and domestic use. The range includes; Tavernflor, FSC certified Silkflor by Greenkett, Legacy by Hakwood, Silkflor Prem and Silkflor Vintage.

Our flooring is available in a range of finishes and timbers including FSC certified timber and can be installed over any type of sub-floor with some suitable for underfloor heating.

Accessories:

We supply a range of flooring accessories including underlay, adhesives, trims, thresholds, scotias, finishing oils and post installation cleaners available from stock.

NEW

A Vinyl plank floor offering the aesthetic appeal of solid wood flooring with the additional benefit of scratch/indentation resistance, slip resistance, natural sound absorption and easy maintenance.



Solid Hardwood Flooring

Tavernflor® An 18mm thick first class range of solid hardwood flooring made from traditional species of Oak. The planks are random lengths up to 1.5m.

Best seller 130mm lacquered European Oak

	Species	Grade	Finish	Size (mm)	Installation
	European Oak	Rustic	Lacquered	18 x 130	T & G
	European Oak	Rustic	Brushed & Oiled	18 x 120	T & G

Also available: 90mm lacquered and 150mm brushed and oiled

Engineered Hardwood Flooring

FSC certified Silkflor® by Greenkett A 14mm thick, European manufactured product with a 25 year residential wear guarantee. All products in this range have FSC accreditation. With 2.2m length planks.

	Species	Grade	Finish	Size (mm)	Installation
	European Oak	Rustic	Lacquered	14 x 185	Uniclic
	European Oak	Rustic	Lacquered	14 x 140	Uniclic
	European Oak	Rustic	Matt Lacquered	14 x 148	T & G

Also available: Oiled 14 x 188mm 1 strip T & G

Legacy™ by Hakwood A 20mm thick, European product with a superior Birch multiply back layer and a 6mm wear layer. The planks are supplied in long lengths 1.7 – 2.4m.

Best seller 180mm unfinished European Oak

	Species	Grade	Finish	Size (mm)	Installation
	European Oak	Country	Lacquered	20 x 180	T & G
	European Oak	Country	Unfinished	20 x 180	T & G

Also available: European Oak natural oiled and American Black Walnut lacquered

Silkflor® Prem A 20mm thick product comprising of a 6mm hardwood wear layer with a 14mm combination core plywood base. The planks are supplied in 1.9m lengths.

	Species	Grade	Finish	Size (mm)	Installation
	European Oak	Rustic	Lacquered	20 x 190	T & G
	European Oak	Rustic	Oiled	20 x 190	T & G
	European Oak	Rustic	Unfinished	20 x 190	T & G

FSC certified Silkflor® Vintage A 15mm thick, European manufactured product with a 4mm rustic solid Oak wear layer that includes knots and shakes for a 'reclaimed' timber appearance. It is ideal for residential and light commercial use. The planks are supplied in 1.9m lengths.

	Designs	Grade	Finish	Size (mm)	Installation
	Nevada	Rustic	Scraped, Smoked & Oiled	15 x 190	T & G
	Smokey Mountain	Rustic	Distressed, Smoked & Oiled	15 x 190	T & G
	Tuscany	Rustic	Distressed & Oiled	15 x 190	T & G

Six further designs available to order



For more detailed information on Timbmet's Flooring range request a brochure e: marketing@timbmet.com

15

Worktops

Our solid hardwood worktops are high grade and finger jointed with 40mm wide staves. Other stove widths are available to order.

The Beech and Oak worktops are made from FSC certified timbers and each worktop is individually wrapped for customers to take away.



Species	Environmental	Thickness (mm)	Length (mm)	Width (mm)	Pack quantity
Beech	FSC	40	3000	650	10
	FSC	40	3000	900	10
	FSC	27	3000	650	10
	FSC	40	4000	650	10
Iroko		40	3000	900	10
		40	4000	650	10
European Oak	FSC	27	3000	650	10
	FSC	40	4000	650	10
	FSC	40	3000	900	10
	FSC	40	3000	650	10
	FSC	40	3000	650	10
American Black Walnut		40	4000	650	10
		40	3000	900	10
Wenge		40	3000	900	5
		40	4000	650	5
Zebrano		40	3000	900	5
		40	4000	650	5

Doors



Timbmet supply a range of paint grade, timber core doorblanks from stock suitable for interior and exterior use which meet fire, acoustic and thermal performance levels.

We also offer FSC certified internal Oak four panelled doors, supplied unfinished.



Our fully finished Viscount® doors are faced with a high quality veneer and lacquered with a satin finish to both faces and edges.

Sincol/Mademar timber blockboard core doorblanks

A range of commodity timber doorblanks suitable for both interior and exterior use with a solid softwood core with 3mm plywood plus 0.7mm faced veneer.

- ✓ FD30 certified to BS476 Part 22
- ✓ Acoustic and thermal performance test data is available

Description	Size (mm)	Length (mm)	Width (mm)	Pack Quantity
Pre-lipped	45	1981	686	24/25
Pre-lipped	45	1981	762	24/25
Pre-lipped	45	1981	838	24/25
Pre-lipped	45	2032	813	24/25
Pre-lipped	45	2040	626	24/25
Pre-lipped	45	2040	726	24/25
Pre-lipped	45	2040	826	24/25
Unlipped	45	2135	915	24/25
Unlipped	45	2440	1220	24/25

18

Flamebreak lightweight blockboard core doorblanks

A range of commodity timber doorblanks, constructed with a lightweight hardwood tri-laminate core. Ply faced Flamebreak are suitable for interior and exterior use. MDF Flamebreak are suitable for interior use only.

- ✓ FD30 and FD60 certified to BS476 Part 22
- ✓ Approved within BM TRADA Q-Mark Third Party Certification Scheme

Description	Size (mm)	Length (mm)	Width (mm)	Pack Quantity
Flamebreak FD30 – 4mm hardwood ply faced	45	2135	915	22
Flamebreak FD30 – 4mm hardwood ply faced	45	2440	1220	22
Flamebreak FD60 – 6mm hardwood ply faced	54	2135	915	18
Flamebreak FD60 – 6mm hardwood ply faced	54	2440	1220	18
Flamebreak FD30 – 6mm MDF faced	45	2440	1220	22
Flamebreak FD60 – 6mm MDF faced	45	2135	915	22
Flamebreak FD60 – 6mm MDF faced	54	2135	915	18

Internal Oak Panelled doors

Our four panel internal Oak doors are supplied unfinished ready for staining or lacquering. These doors have a solid chipboard/MDF core with an Oak veneer.

- ✓ All 35mm internal Oak panelled doors are FSC Chain of Custody certified
- ✓ FD30 fire rating is only applicable to the 44mm thick doors

Description	Environmental Certification	Size (mm)	Length (mm)	Width (mm)	Pack Quantity
4 panel unfinished Oak veneered door	FSC	35	1981	686	27
4 panel unfinished Oak veneered door	FSC	35	1981	762	27
4 panel unfinished Oak veneered door	FSC	35	1981	838	27
4 panel unfinished Oak veneered door FD30		44	1981	686	22
4 panel unfinished Oak veneered door FD30		44	1981	762	22
4 panel unfinished Oak veneered door FD30		44	1981	838	22

19

Viscount® fully finished doors are also available from stock

Faced with a high quality veneer laid to the edge concealing the lippings. All faces and vertical edges are lacquered.

- ✓ Available non fire, FD30 and FD60 fire rated
- ✓ 'Severe duty' rated to DD171 (suitable for areas of high frequency use)

FD30 and FD60 doors meet the requirements of building regulations approved Document E for acoustic requirements. Available in five veneer finishes and seven standard sizes.



TEC® Timbmet Engineered Components



20

Timbmet Engineered Components are highly engineered wood products constructed from multi-layer components to combine high performance and aesthetic appeal.



Timbmet can supply all components to produce a bespoke Oak staircase.



With a comprehensive off-the-shelf collection and the capacity to manufacture bespoke components, our engineered products are the most technically advanced and effective available.

Benefits:

- ✓ **Dimensional stability:** The multi-layer construction offers stability and stress performance far in excess of traditional solid wood.
- ✓ **Reduced wastage:** The components are made to measure, resulting in less waste. As they are easy to assemble, labour costs are kept to an absolute minimum.
- ✓ **Flawless:** TEC® products are free from the problems associated with natural defects. Each component is consistently graded and dried, giving a uniform performance and appearance.
- ✓ **Environmentally friendly:** As TEC® products reduce waste, the timber is used more efficiently, thereby satisfying the most exacting demands for products that contribute to environmental sustainability.

- ✓ **Reduced costs:** Better use of materials, handling and storage guarantees significant savings.



21

	FSC Red Grandis™	FSC European Oak	Sapele	PEFC Redwood	MTCS Meranti
Window TEC®					
Sash or Casement	✓	✓	✓	✓	✓
Outer Frame, Jambs and Head Section	✓	✓	✓	✓	✓
Stair TEC®					
Stair String		✓		✓	
Stair Tread		✓		✓	
Stair Riser		✓		✓	
Newel Post		✓		✓	
Door TEC®					
Stile/Muntin/Top Rail	✓	✓	✓	✓	✓
Mid/Bottom Rail	✓	✓	✓	✓	✓
Outer Frame, Jambs and Head Section	✓	✓	✓	✓	✓
Insulated Door Panels					
28mm Insulated Door Panel	✓	✓	✓	✓	
45mm Insulated Door Pane – FD30 fire rated	✓	✓	✓	✓	

iPack®



22

Timbmet's online order service iPack® enables convenient purchasing from a wide range of timber products; sawn timbers, panel products, flooring, door, minipacks, machined and TEC® products.

iPack is safe, secure, easy to use with intuitive navigation. Contact us for your password and start using iPack today.

Benefits:

- ✓ Access to £20m of Timbmet's stock
- ✓ View, specify and select stock to meet specification
- ✓ Results can be ordered by price, volume, length, width and best matched pack
- ✓ Certified timbers such as FSC and PEFC are easily identified in green
- ✓ Convenient ordering – day or night

iPack® saves you money; the more packs bought the more money saved.

Also available are regularly updated 'exclusive to iPack® special offers'.

**To find out more about iPack®
online order service, contact Paul Brodeur**
e. paul.brodeur@timbmet.com t. 01865 860 663

Responsible Business and Certification



23

Timbmet is a market leader in its commitment to environmental sustainability and responsible business solutions.

As such, we pursue our commitment to responsible business through clear policies and action plans to meet our responsibilities as effectively as we can. Our environmental policy commits us to sourcing our wood product from legally and sustainably managed forest, reducing our carbon footprint and minimizing our waste product.

Through our supply chain assessment system we determine the forest of origin, the legal right to harvest and the standard of forest management practiced for all of the timber and wood products that we buy. We are committed to increasing the proportion of our purchasing that is independently certified or verified.

For specific environmental, certified or sustainable timber contractual requirements, we offer a range of full Chain of Custody certified products in FSC, PEFC, CSA, SFI, MTCS and Verified.

The FSC

The FSC Logo identifies products which contain wood from responsibly managed forests independently certified in accordance with the rules of the Forest Stewardship Council A.C. FSC Trademark® 1996 Forest Stewardship Council A.C. Timbmet Chain of Custody no. TT-COC-001063.



The mark of responsible forestry

PEFC

PEFC Trademark® Program for the Endorsement of Forest Certification. Timbmet Chain of Custody no. TT-PEFC-0001.



Verified Progress™

Verified Progress™ products are independently confirmed to be fully traceable and from legally harvested forests where forest management practices are actively progressing to credible certification through the BM TRADA® Forest Products Chain of Custody Certification. Timbmet Chain of Custody no. BMT-COC-0001.



Chain of Custody

Guarantees for CS, SFI and MTCS certified product are achieved through BM TRADA's Forest products Chain of Custody certification. Timbmet Chain of Custody no. BMT-COC-0001.



Timbmet Main Offices

Timbmet

Kemp House
Chawley Park
Cumnor Hill
Oxford OX2 9PH
t: 01865 860350/1
f: 0800 8659860/3740

Glasgow

235 Bogmoor Road
Shieldhall
Glasgow
G51 4SH
t: 0141 440 6600
f: 0141 445 5736

Ireland

t: +44 (0)1865 860362
f: +44 (0)1865 864367

e: marketing@timbmet.com

Regional Distribution via our Timber Depots

Basildon

Units B1 & B2
Hovefields Avenue
Burnt Mills Industrial Estate
Basildon SS13 1EB
t: 0845 604 6800
f: 0845 606 2638

Borehamwood

Unit 2 Manor Place
Manor Way
Borehamwood WD6 1WG
t: 020 8238 6930
f: 020 8953 5781

Larkfield, Aylesford

Units E1/E2
Larkfield Trading Estate
New Hythe Lane
Larkfield
Kent ME20 6SW
t: 01622 718980
f: 01622 719040

Milton Keynes

Unit 9b Deans Road
Old Wolverton
Milton Keynes MK12 5NA
t: 01908 313877
f: 01908 311703

Saltash

13 – 14 Tamar View
Industrial Estate
Saltash PL12 6LD
t: 01752 841333
f: 01752 848122

Stonehouse Gloucester

14 Gloucester Road
Stonehouse GL10 2PB
t: 01453 826886
f: 01453 828029

www.timberdepots.com



 **TIMBMET**

Everything wood should be