



Relax, we're the real experts
in smart joinery products.

Joinery Products

www.timberworld.co.uk



Bring the Outside In – Joinery Products to Lighten Up Your Home.

Our range of Joinery Products is sourced from around the world through our central buying team.

With a team of Regional Joinery Managers, who have been trained to the highest level, our proposition is second to none within the market place, comprising of timber windows, external doors, internal doors and a modern range of spiral stairs.

With a range of specialist and bespoke joinery available, your requirements can be tailor made to match your design or development, and you can be assured of the finest quality and craftsmanship associated with our suppliers.





Garage Doors - Steel up and Over

Up and Over steel doors are provided powder coated in white, which require no further protection on site. Available with retractable or canopy gearing, these can be supplied to fix into a timber frame or alternatively into a quick fix steel frame for fitting directly to blockwork.

Hinged fixed garage doors are also available in two sizes. All steel doors are provided powder coated in white which require no further protection on site. Available with retractable or canopy gearing.

Available in standard sizes of
2134mm x 1981mm (7'0" x 6'6")
2134mm x 2134mm (7'0" x 7'0")
2286mm x 2134mm (7'6" x 7'0")
4267mm x 2134mm (14'0" x 7'0")
(All except the Helton)



Hartsop



Bampton



Helton



Rosgill

Timber side hung

Hinged fixed garage doors are also available in two sizes. Manufactured with 14mm v jointed boards with rebated meeting stiles, these are suitable for painting and should be

fully sealed on all surfaces, not forgetting the edges. Ironmongery is not included but the GTF option does include factory glazing as standard.

Available in standard sizes of
2134mm x 1981mm (7'0" x 6'6")
2134mm x 2134mm (7'0" x 7'0")



GTG



GTF



Supermatic E



Optional electric operations are also available. The Supermatic E is the safest and easiest to install and includes a whisper quiet motor with a self learning feature with continuous monitoring of each operation. Supplied with a uniquely coded handset and receiver with over 1 billion possible codes.

Joinery Products

www.timberworld.co.uk



Arke Spiral Staircases

From conception in 2000, Arke spiral staircases have been synonymous with quality, style and elegance. For those who like to build or renovate their own homes, piece by piece, the staircases are easy to assemble and possess a uniqueness that's difficult to imitate.

The current Arke product range comprises of three model staircases - Civik, Civik Zink and Klan, as well as two flight staircases - Karina and Kompakt.

All models are available in various colours and diameters. Kompakt is available in two different tread sizes,

which allows the possibility of many configurations. So with all this variety, you have the tools to create a 'custom made' staircase that's designed for beauty and built to last.

Civik



A modern effect staircase that incorporates a blend of metal treads complete with foot-friendly matting. The stairs are available in three diameters, 1200mm, 1400mm and 1600mm, and because of their versatility can reach a height of 3750mm. Extra treads are also available to make the rise more comfortable and extra balustrading can be purchased to surround the upper landing.

Also available in a zinc coated option for use outdoors to provide access stairs to first floor doorways.

Klan



Klan combines the colours of steel, black, white and grey with polished beech wooden treads with a light (natural) or dark dye. The aluminium and polyurethane handrail is black, as are the accessories.

Characteristics

- The diameters of the kit staircases are 1200mm, 1400mm and 1600mm.

- The kit staircase height can vary from 2530mm to 3060mm and with the purchase of more treads, a height of 3770mm can be achieved.

Karina



Karina is particularly suited for narrow spaces. Its supporting structure is made of steel interlocking elements and is available in three different colours - black, white and grey. The accessories are black. The polished beech wood treads with light (natural) or dark dye is of a special shape to guarantee maximum utilisation of space, without compromising the stair functionality.

Characteristics

- With the purchase of one or two more tread kits a height of 3290mm can be reached.
- Additional railing kits and balustrade kits (Civik type), 1200mm long are available and can be purchased upon request.

Fusion Staircases

Individually designed connectors create a distinct and unique look that will breathe life and texture into a hallway. The fusion of metal and timber creates a contemporary look that will set the staircase apart. All Fusion components carry the Richard Burbidge dovetail logo.

There are a variety of options available which can be mixed and matched to suit different tastes.

In most cases there is no requirement to make any modifications to components other than cutting the rails and newels to length. The cuts don't even have to be 100% accurate as the sawn ends are hidden by the handrail connecting brackets. All balusters are also pre-cut to suit either a staircase or landing installation.

The system can be installed using existing newel bases. Alternatively, if it is a new build or a complete refurbishment project, simply install Richard Burbidge newel bases and apply clear varnish to match.

Our range of kit, straight flight stairs can suit most floor-to-floor heights, while accommodating the necessary tread width to meet with building regulations. These are available in various configurations with white, black or grey metalwork. Complemented with steamed beech or dark tread stairs, these are ideal for apartments and secondary staircases.



Complex Staircases




In addition, Arnold Laver are pleased to announce a brand new addition to the Fusion product family. Fusion Commercial has been designed and developed to meet UK Building Regulations for loading up to 0.74kN/M, making it suitable for light commercial applications such as shared apartment stairwells, hotels and office buildings.



Joinery Products

www.timberworld.co.uk



Stairs - The Range



Stock Flights

For basic applications, where made to measure is not a necessity, closed riser stock flights are available for immediate delivery, offering the following features:

- Made from Parana Pine or Whitewood/Composite materials.
- Closed riser straight flight, 13 up.
- 2574, 2600 or 2639mm rise (finished floor to finished floor).
- 855 or 905mm width over strings.
- Nationwide stocks through our depots.
- Wide range of complementary components.
- Open riser versions available to order.

Pre-Assembled Balustrading

We offer pre-assembled balustrading, which maintains the traditional methods of construction, but reduces installation time on site and improves accuracy. Complete balustrade sections, inclusive of hand rail, can be securely fixed to the newel post by means of a special bracket.

Building Regulations and Staircase Standards

Modern building design requires staircases that have performance characteristics that exceed traditional domestic stairs. These include:

- Part M disabled access requirements on stair flights, particularly in multiple occupancy buildings ("common stairs").
- Load bearing trunks and handrails on common stairs.
- Trunk resistance to deflection under load (and avoidance of "bounce").
- Use of timber stairs in buildings of 4, 5 and 6 storeys.
- Fire protection of stairs in multiple occupancy buildings.

Arnold Laver Timber World has extensive expertise in all these areas.

To ensure your building design and specification meets the Building Regulations, the relevant British and European standards, and meets all Building Control requirements, Arnold Laver Timber World can provide guidance and solutions

to meet all your needs. Traditional domestic stairs DO NOT meet these requirements. For further information, please contact your local Timber World representative.


Years of experience in the manufacture of staircases and an unparalleled commitment to quality has made JELD-WEN the UK's premier stair range.

Communal Flights and Fire Protected Stairs

Contact your local Timber World representative to discuss your communal or fire protected stair requirements.

Factory 3 Coat part Finish

NEW! Timber World is able to supply your staircase component with a high quality 3 coat part finish. All that is required once installed is a single coat of gloss paint. Contact your local Timber World representative for full information and pricing.



Joinery Products

www.timberworld.co.uk



Stairs - The Range



Whether choosing standard stock flights or made to measure, all our staircases carry a 10 year materials and workmanship guarantee, with quality the key to the timber selected. A choice of timber is available, along with a wide range of options and accessories, including newel posts, hand rails and balusters.

We offer:


- Free on-site surveys and measuring service on receipt of order.
- Help and advice from our stair specialist team.
- A huge choice of layouts.
- Loft space conversion access solutions.

- Softwood or Hardwood including Ash, Oak and Beech.
- Simple coding system.
- Easy ordering.

If you have an enquiry, please contact your local Timber World representative.



20 Most Common Configurations



Joinery Products

www.timberworld.co.uk



Fakro Roof Windows

Arnold Laver Timber World is proud to be a principle supplier of Fakro roof windows. Fakro windows are an excellent alternative to other market roof windows and have qualities and certification that are second to none in the market place.

Manufactured using only the best materials available, Fakro roof windows have excellent attributes making them a new and upcoming force in the roof window market.

Available in standard sizes, Fakro roof windows arrive pre-glazed and pre-treated in individually packaged boxes.

Attributes

- The 1st and only BBA approved roof window.
- EXT S.A.A. fire rating.
- Best U Value on the market 1.4W/m² K.
- Air leakage Class 4 – best on the market.
- Sound insulation 32db to 42db – best on the market.
- Knot free timber.
- Security clamp.
- Vacuum impregnated, double coated.
- With clear water-based acrylic lacquer - best on the market.
- V35 air inlet, providing a constant inflow of fresh air, even when the window is closed.
- Largest glazing area.
- Window is triple sealed.






Fakro Roof Windows

Type ES for flat, thin roofing material


This flashing allows the windows to be joined with a wide range of flat roofing materials such as roofing paper, flat metal sheet, tar boards, or plain-tiled roofs.



Type EL for scale-like roofing materials


This flashing allows the windows to be used with flat roofing materials such as plain-tile double-lap roofing, slates, or tar boards.

The side elements of the flashing are laid alternately with the roofing material.



Type EZ for profiled roofing materials

The flashing for profiled materials allows the window to be joined with profiled roofing materials such as tiles or corrugated metal sheet. It may be used for materials with a profile height of up to 45mm.



A full range of purpose manufactured external awning blinds, internal screen blinds and motorised equipment is also available.

Joinery Products

www.timberworld.co.uk



Windows - Timber Windows



Timber windows, supplied with our latest Hi-build fully furnished paint system, offer excellence in performance, long life, reliability and low maintenance.

Reliability in paint performance starts with the timber itself. Careful control of the moisture content of timber ensures windows are manufactured to match their conditions in service. A preservation system underlies the products' reliability, matched with the preparation and application of the paint system itself. Whether an opaque paint or translucent stain finish is required, both start with the application of a basecoat. The paint or stain film is then built up on this foundation, with attention to surface preparation, cleanliness and temperature at each stage. The result is a three-coat high build system that provides a tough, durable coating that is good for many years.

BS 7950 Secured by Design Range (SBD)

A security enhanced window range which complies with the requirement of BS 7950: 1997 for security performance of casement windows in domestic applications.

All windows with SBD option indicated are available to this standard specification.

- Softwood window either basecoat stained or primed.
- Factory glazed with annealed Low E insulating glass units.
- Butt hinges.
- Shoot bolt espagnolette locking.
- Simulated divided light glazing design where appropriate.

TWA Scheme Manufacturer

New for 2006 – BSI Kitemark Approval on Factory Glazed Windows

Following the British Woodworking Federation's Timber Window Accreditation Scheme and the BSI Kitemark Scheme's announcement that the two schemes will run in partnership, JELD-WEN introduced the BSI Kitemark onto their factory glazed timber windows during 2006. This combines the two leading industry certification schemes and further strengthens the JELD-WEN timber window range as the market leader in technical performance and reliability. For more information contact your Arnold Laver representative.



Windows

The JELD-WEN Hi-Profile Combi window range offers the architect and specifier total flexibility in window design and configuration, combined with optimum long term use and maintenance.

- Engineered timber for stability, strength and reliability.
- PEFC certified, clear, knot-free timber.

Modern housing schemes, particularly inner city regeneration requirements, demand high performance windows that provide both security and convenience in use. Long term maintenance plans and commitments are provided for in the design, with all external surfaces flush and with the minimum of joint lines. Where fully reversible configurations are specified, minor external maintenance can be carried out internally. Internal maintenance and perceived security is significantly enhanced by the internal beading design.

The planning requirements and particularly PPG3 directly affecting modern housing schemes also place high demands on architects' design capabilities. The new All Clear Hi-Profile Combi window provides total flexibility. All modes of operation (side and top hung, and reversible) match externally. Dimensions can be specified, offering maximum flexibility (up to hardware loading limits) covering the widest practical range of sizes and fenestration. Every window manufactured in this system is made to order – all are bespoke to the specifier's requirements.



Joinery Products

www.timberworld.co.uk



UPVC Windows and Doors

Fantastic Choice

When it comes to buying windows, you want the exact specification to suit the house, be it new build, or replacing existing windows.

Our made-to-measure service offers all the options, from size to style, to glazing design.

This complete flexibility means you can order the right window and know that you'll be satisfied with the finished result.

Security as Standard

Windows and doors are the first things to consider when making a home secure.

The high security locking mechanism offers a shootbolt multi-locking mechanism.

BS7950 Enhanced Security option available.

Quality You'd Expect

With attractive internal decorative beading and decorative external profile, the windows are an upmarket, quality product.

Backed by a 10 year manufacturing guarantee (exceptional wear and tear of hardware through extreme use is only covered by a 3 year guarantee), these windows will perform in accordance with the most stringent building regulations for energy efficiency.

Durable Product

- 59mm multi-chamber profile.

High Security

- Push button locking handle.
- Internally glazed.

Aesthetically Pleasing

- Decorative profile with decorative bead inside.
- White Q-Ion around opening lights.

Thermally Efficient

- 24mm Low E double glazed units.

We have it all, doors, windows and specialist bays - there is nothing we can't quote for.

A full fitting service is now available for new build properties. Supplied in pack lots to include a full design service, windows, cavity closer, fixings, four sided cavity closer packers and installation, this is a brand new service available to Arnold Laver in conjunction with JELD-WEN uk.



UPVC Windows and Doors



Saracen



Waterloo



Melrose



2xG PVCU



B 10



B 1T

Building site requirements have become more complex, more demanding and attention to detail more critical than ever, yet site skills are in short supply and time for supervision is limited.

The cavity closer system is supplied for either 50mm or 75mm cavities, to be specified at time of ordering. (Other cavity sizes are available by special order.)

The cavity closer system offers the optimum solution to the demands created by the reality of these requirements. By using our cavity closer system, the builder has the opportunity to ensure accuracy in their window apertures during construction, engineered fit for the windows when ready for installation and guaranteed compliance with Part L in closing the cavity and correctly positioning

the windows. Fixing packs, including all the necessary components for fitting the JELD-WEN windows, are available separately.

When using the cavity closer system, JELD-WEN recommend the specification of 185mm extended cills to the windows.

When ordering the window to fit into a cavity closer, always advise on the order, "Window to be installed into cavity closer."

Note: When ordering windows and cavity closer, the brickwork opening size will be of the standard window dimension, ie. the window will be reduced to suit the cavity closer.

Doorsets

Front Doorsets

Handing: When viewed from outside, doors are shown RHH.

Specification

Lever/Lever Handles White.
Key/Thumb-turn Cylinder Lock Nickel.
Clear Low E Glass, 2 Hooks and 2 Rollers. White Letterplate. Cill.

Note: In certain installations a 25mm add on may be required to the doorset. If in doubt, please call our sales office.

Options Available

Back Doorsets.

A full range of glazed back doors are available to order.

French and Patio Doors

A range of standard French and Patio doors are available.



Simple installation with the cavity closer system

Joinery Products

www.timberworld.co.uk



Canberra - Patio Doors


The Canberra is a new concept in patio doors, designed to let the outside into any room. Using a sliding door gear, the doors fold back against themselves to open up the room to the outside.

Available in various configurations and 2100mm high, the door sets can cover standard widths, 1800mm, 2100mm, 2400mm, 3000mm, 3600mm and 4200mm. The width determines the number of doors to be used.

Manufactured to withstand the British weather, the doors are supplied with Low E glass units as standard and are available un-finished, Light Oak, Dark Mahogany or White painted. Fitted to overhead lintels, the doors are safe and secure when installed.



Door Configuration Options (Doors Open Out)



Joinery Products

www.timberworld.co.uk

Ironmongery Options

The ironmongery is available in titanium gold or brushed stainless steel and the sets come complete with handles, hinges, locking bars and track.



More Traditional Patio Doors

The Clifton double door set is manufactured from softwood using an enhanced preservative treatment. Doors are supplied with one coat of base stain or primer for finishing on site.

Factory finish hi-build stains and paints are also available to special order.

Using a standard height of 2100mm, three door widths are available with or without a mid rail - 1200mm, 1500mm and 1800mm. By adding sidelights to either side or both sides, the width can then be increased up to 3000mm (dependant upon configuration).

Doors are supplied pre-hung in a frame and come complete with

ventilation, multi point locking, open in or open out configuration, silver effect handles and cill (although gold is available as an extra). Leaded glazing options are available at an extra cost.





External Doors - Composite Doorsets



Barnard



Dunster



Walden



Clifford



Tilsbury



Rising



Upnor

Worldwide, the JELD-WEN name is synonymous with the manufacture and supply of high quality windows and doors. Complementing the external door range, we are proud to offer a composite range of doorsets, giving our customers an extended choice, together with the value and performance they have come to expect.

Benefits

- 7 door designs.
- 6 door finishes.
- Choice of glazing designs.
- Pre-hung in doorsets.
- All doorsets meet the requirements of PAS 23/24.
- All doorsets meet the requirement of Part L 2006.
- Pre-finished hardwood frame in Mahogany stain.
- Clifford door available in FD30 doorset.
- Energy efficient and environmentally friendly:
 - The panel has six times better insulation than a timber door.
 - Polyurethane core is 100% CFC-free and offers enhanced sound and heat insulation.
- Stable:
 - The thermoset manufacturing process means the panel will not expand or contract with changing temperature.
 - Will not blow, warp, crack, splinter or dent.
- Strong and durable:
 - High-impact resistant, GRP (Glass Reinforced Polyester) skins.
 - 45mm thick leaf for increased security.

- Technologically advanced:
 - Pre-pigmented skins are scratch resistant and waterproof.
 - Engineered composite rails and stiles which completely seal the insulating core.
- Authentic appearance:
 - Woodgrain effect.
 - Compression moulded, high-definition, panel design.
 - Available in through-colour, or hand stained finish.

Part M Compliant Doors

Available to special order, please refer to your local Arnold Laver sales office.

Door Extras

- Low Threshold cill for doors. (For front & back doors only).
- Gold door furniture.

Sidelights and Fanlights

Sidelights and fanlights are available to special order for front, back and French doors, contact your sales team for details.

External Doors - Contemporary Range



The new range of Oak external doors are supplied factory glazed with designer units. Specially supplied by JELD-WEN, the glass represents a modern day look. Each unit has been designed with the door style in mind to reflect different images through time.

These doors are supplied with triple glazed glass panels featuring multi-faceted glass bevels. These capture the light like no other glass can and are supplied in the white for easy

finishing on site. Manufactured from engineered timber, these are a very stable door that carries a 5 year guarantee against manufacturing defects.

Also available are fully glazed matching sidelights to add style and sophistication. The doors are available in a size of 1981mm x 838mm with a standard sidelight 1981mm x 356mm.



Drayton



Statton



Langley



Oval Meranti



Sunburst Red Oak



Sunburst Meranti



2 light 2 panel

Joinery Products

www.timberworld.co.uk



External Doors - Tri Glassed Exterior Range

A quality range of rustic looking hardwood and Oak doors that provide a feeling of warmth to any door entrance. Manufactured using triple glazed units and high quality timber and moulds, this range is supplied

natural for finishing on site. Available in 1981mm x 838mm and 2032mm x 813mm, this range carries a 10 year guarantee against manufacturing defects and is available in traditional hardwood and Oak.

Factory fitted with insulated glass, this attractive range is available in all standard external door sizes. Supplied in the white for finishing on site, we also carry in stock a matching range of external door frames.



California Sunset



Guardian



Edinborough



Pulborough



Norkfolk Oak



Creedmore



Holborn



Creedmore



Cleveland



Arundel

Moorgate Exterior Range - External Doors

The Moorgate range of 5" stile doors features raised and fielded panels with eye catching collection mould features.

Triple glazed as standard with black lead and bevelled glass, the Moorgate range also includes a matching

un-assembled door frame. With a 5 year guarantee against defects, this is a stunning range of doors.



Croft



Gothic



Monaco



Targe



Hamlet



Joinery Products

www.timberworld.co.uk

External Doors - The Edwardian Range

The new range of Oak external doors is supplied factory glazed with designer units. Specially supplied by JELD-WEN, the glass provides a modern day look for the entrance to any house. Each unit has been designed with the door style in mind to reflect different images. Available in standard external door sizes, and as doorsets complete with ironmongery, these doors represent a new era in furniture front entrance doors.

These doors are supplied in white for easy finishing on site, with triple glazed glass panels featuring multi-faceted glass bevels, which capture the light like no other glass can. Manufactured from engineered timber, these are very stable doors that carry a 5 year guarantee against manufacturing defects. Also available are fully glazed matching sidelights to add style and sophistication. The doors are available in a size of 1981 mm x 838mm with a standard sidelight 1981mm x 356mm.



Heacham




Readham



Sandringham



Belvoir



2 Light 2 Panel Oak



Oval Meranti



Oval Red Oak



2 Light Sidelight Meranti



Sidelight Oval

Joinery Products

www.timberworld.co.uk



External Doors - Softwood Glazed



E2XGG



Softwood Patt 10



E2XG



E4XG



ESCP

Our range of softwood glazed external doors is supplied using an engineered door construction that incorporates a Hemlock finish. Doors are glazed in either 20mm or 17mm insulated glass and can be ordered clear or obscure.

External Doors - Glazed and Unglazed



Richmond



Carolina



Colonial



Strand



Hardwood Berkeley

A range of glazed and unglazed traditional hardwood doors, with FSC certification, complement the range. Supplied base coat stained ready for final finishing, this range is available in 2 sizes:
1981mm x 838mm (6'6" x 2'9")
2032mm x 813mm (6'8" x 2'8").

External Doors - Glazed Pairs



Paired Patt 20



Pair E2XGG



Pair ESCP



Paired Pattern E70



EKKT

Glazed pairs complete the range. Available as pairs with 12mm rebated meeting stiles, these are configured with the right hand door to open first. Doors are supplied 1981mm x 1168mm (6'6" x 3'10") and 2000mm x 1106mm. All pairs of doors are supplied glazed with 20mm argon filled Low E insulating glass units.

Internal Veneered Doors

The veneered door range is supplied in a variety of standard veneers with some specials available to order. Doors can be supplied with lipped or over veneered edges and come pre-lacquered. Due to the beauty of the real wood veneer there will be some colour variation, and dark and light shades will sometimes be apparent. All internal doors are available in standard imperial and metric sizes, although some may be made to special order.

Both FD30 (44mm) fire doors and 35mm hollowcores are available.

A service is available on FD30 fire doors for letter plates, square meeting stile pairs and machining for intumescent strips to 3 sides of the door.

NB FD30 is only achieved when using the correct frame and intumescent seals.

Sizes available.

1981mm x 457mm (6'6" x 1'6")
 1981mm x 533mm (6'6" x 1'9")
 1981mm x 610mm (6'6" x 2'0")
 1981mm x 686mm (6'6" x 2'3")
 1981mm x 762mm (6'6" x 2'6")
 2032mm x 813mm (6'8" x 2'8")
 1981mm x 838mm (6'6" x 2'9")
 1981mm x 864mm (6'6" x 2'10")
 1981mm x 914mm (6'6" x 3'0")
 2040mm x 526mm
 2040mm x 626mm
 2040mm x 726mm
 2040mm x 826mm
 2040mm x 926mm



Koto



Maple



Sapele



Ash



Beech



White Oak



Santa Fe



Arlington



Cambridge



Provincial



Rockport

The moulded range is available in all standard sizes, both hollowcore and FD30 options. Most styles are available in a grained and smooth effect door and can be pre-hung as a door set.

We also carry a range of specialist internal doors to suit most applications. From a traditional cottage look to the modern shaker style, most tastes and styles can be catered for.



Almeria



Lucena



Zamora



Santander




Ronda



Murcia

Joinery Products

www.timberworld.co.uk



Continuous Pressure Laminate

Cepel are doors manufactured using a continuous high pressure laminate face. Both the 35mm internal and the 44mm FD30 fire rated doors are supplied with a solid core.

These are renowned for their resistance to scratching and UV shading. Available in 8 colour options, these doors provide a match for colour and grain everytime, making pairs a lot easier.



Oak Cepel door



Ash Cepel door



Beech Cepel door



Maple Cepel door



Walnut Cepel door



White Cepel door



Cream Cepel door



Grey Cepel door



Available in:

- 1981mm x 457mm (6'6" x 1'6")
 - 1981mm x 533mm (6'6" x 1'9")
 - 1981mm x 610mm (6'6" x 2'0")
 - 1981mm x 686mm (6'6" x 2'3")
 - 1981mm x 762mm (6'6" x 2'6")
 - 1981mm x 838mm (6'6" x 2'9")
- Other sizes are available to order.

Decorative Grilles



10 Light Cepel



6 Light Cepel



DFG04

Decorative grilles can also be purchased as an option. These contain various fretwork effects to create unusual styles and patterns. Coupled with various styles of glass, this can create a truly unique effect.








Continuous Pressure Laminate

A range of apertures are also available in hollowcore and FD30 fire doors. Manufactured to include either Georgian Wire or Clear Fire Glass, these doors are apertured in accordance with the BWF Certifier Scheme and are available in a choice of veneers and foils.

Also available is a full service for providing intumescent strips to three sides of the door, and apertures for letter plates and grilles.

Pairs of doors can also be supplied with either random or book matched veneers with square meeting stiles.

Special veneer doors and special sizes can also be supplied. Please contact your nearest depot for more information.



Our intumescent strip range incorporates smoke seals, acoustic seals and more complex glazing seals. Available in 10mm, 15mm, 20mm and 25mm the range complements our suppliers fire certificates and can be supplied loose, or alternatively fitted into the door or frame. To complement the interior décor these are also available in standard white, brown and black with Ral colours available to order.

For representation purposes only. Intumescent strips.

Joinery Products

www.timberworld.co.uk




Internal Doors - Supermodels and Contemporary Oak



Madrid



Barcelona



Available in
Beech + Walnut
+ Oak



4 Panel Oak




Diamond Glazed

The new Supermodels range represents a high quality veneered door with intricate veneer marking to the surface. Designed with a European theme in mind, these doors are available in Beech, Walnut and Oak veneer. Glazed options are also available.

The shaker style Oak doors complement the current trend in kitchens and are ideal for any new renovation.


Internal Doors - The Oak Range



Mexicano Oak



Regency Oak



Richmond Glazed



Louis



Riviera Clear
Glazed

Our imported range of Oak engineered doors offers an elegance that is second to none. With both solid and glazed options available, these pre-finished doors will not look out of place in any home or office.

Internal Doors - The New Look Range



4 Panel



Malton



Cherry Gardia



Cherry Milan



Cherry Turin

Cherry veneer is becoming one of the most popular choices among designers and architects. With its rich red glow it adds warmth to any home and contrasts with other modern day materials used in making a home complete.

Internal Doors - The Cottage Range

Designed to complement the more traditional house or new build, the cottage range of doors provides a rustic, natural feel. The doors are engineered to represent a very solid construction, with both solid panel and glazed options available. Installed with the correct ironmongery, a natural cottage appearance can be achieved.



Yoxall



Tutbury



Anslow



12 - M Oak



12 - 6VM Oak

Internal Doors - River Oak Range

While the shaker style door is becoming ever more popular in modern design, the 'new kid on the block' is the inlay veneer door. Available in a multitude of veneers and panel sizes, this new range of inlaid doors provides a sophisticated look to any home. Both are available in solid and glazed options.



Mersey



Humber



FLGP1ASH



FLG2PASH



FLG6VASH

Internal Doors - Shaker Range

The Shaker range provides a warming relaxing feel, while maintaining a modern look. Available in a variety of veneers, solid panel and glazed doors, this range will complement modern and restoration buildings, including residential and commercial.



VP1



VP1 - 5VCB




Palmerston



Disraeli

Joinery Products

www.timberworld.co.uk



Internal Veneered Doors



Aston Panel



Aston



Royal Oak



Royal Oak 6 light



Royal Oak 1 light

The Oak veneered panel feature doors are becoming increasingly popular. Supplied unfinished with engineered components, the stability of these doors is second to none.

We carry a full range of finished moulded doors in Royal Oak, complete with glazed option.

Available in
1981mm x 686mm (6'6" x 2'3")
1981mm x 762mm (6'6" x 2'6")
1981mm x 838mm (6'6" x 2'9")

Royal Oak:
1981mm x 610mm (6'6" x 2'0")
1981mm x 686mm (6'6" x 2'3")
1981mm x 762mm (6'6" x 2'6")
1981mm x 838mm (6'6" x 2'9")
1981mm x 864mm (6'6" x 2'10")

Hemlock Feature Doors



Chatsworth



Rufford



Wellbeck



110 XGP

A luxury range of FSC certified internal doors will add style and warmth to any room. The range is complemented by solid and glazed doors, and is supplied unfinished for staining or painting on site. Some panelled fire doors are also available.

Available in:
1981mm x 610mm (6'6" x 2'0")
1981mm x 686mm (6'6" x 2'3")
1981mm x 762mm (6'6" x 2'6")
1981mm x 838mm (6'6" x 2'9")

The Shaker Range



Glazed Shaker



Solid Shaker Dark



Solid Shaker Light



Solid Shaker Light



Pairs Glazed Shaker

The contemporary shaker range is available in light and dark timber. All doors are FSC certified and the glazed options have the Chinchilla glass fitted as standard. Available in 4 and 1 panel, these doors will suit any modern development or conversion.

Most doors are available in:
1981mm x 686mm (6'6" x 2'3")
1981mm x 762mm (6'6" x 2'6")
1981mm x 838mm (6'6" x 2'9")

Internal MDF Foil Faced Doorkits

Internal Doorkits

They provide a flexible option; the symmetrical design of this kit system allows for handings to be decided on site, with all components ready machined... just assemble!

Prepare to take the 20 minute doorkit challenge...

Features and Benefits

- Solid reliable fixing system through the lining into the core of the wall.
- Architrave tongue is self-adjusting to accommodate minor inaccuracies in partition widths.
- Interlocking mechanical joints for a tight, accurate fit of architrave.
- Concealed fixing of lining and architrave, eliminating the need for filling and minimal preparation for decorating - in line with NHBC recommendations.
- Suitable for use with any JELD-WEN moulded or veneered internal door.
- MDF foil wrapped moisture resistant linings and architraves.

Specifications

Lining width sizes:

77mm, 90mm, 95mm, 100mm, 115mm, 120mm, 125mm, 130mm, 140mm, 150mm.

Lining Thickness

25mm plus 12mm stop.
Total thickness 37mm.

Doorstop Sizes

27mm and 71mm

Architraves

Ogee, Ovolo 69mm.
Torus and Twice Rounded.

Ironmongery

65mm/55mm White Snap-on hinges (dual entry).

65mm Tubular latch, 65mm bath lock
Electra Brass or Bright Polished Steel.

Glazed doors have solid stiles and rails and are supplied pre-glazed. Glazed fire doors are also available.



1. Decide on handing then assemble frame using bolts provided



2. Adjustable snap on hinges (male) provided fixed to lining leg



3. To reverse handing, remove and turn hinge 180° to re-fix



4. Keep is provided fixed to the lining



5. To reverse handing remove and turn latch 180° to re-fix



6. Ensure frame is square and plumb



7. Remove 'grommit' in door hinge which allows frame hinge to locate. Reposition 'grommit' when in place



8. Offer door to frame



9. Fit and Fix architraves in place



10. Fit and Fix door stops in place



Joinery Products

www.timberworld.co.uk



Timber World Branches

Birmingham*

Dudley Road, Oldbury, West Midlands B69 3DA
Tel: 0121 552 7788 Fax: 0121 544 7186
sales@birmingham.timberworld.co.uk

Bradford*

Manningham Sawmills,
Canal Road, Bradford BD2 1AR
Tel: 01274 732861 Fax: 01274 737060
sales@bradford.timberworld.co.uk

Chesterfield

Brimington Road, Chesterfield S41 7UW
Tel: 01246 271717 Fax: 01246 272255
sales@chesterfield.timberworld.co.uk

Hull*

Crowle Street, Hull, HU9 1RH
Tel: 01482 324525 Fax: 01482 216478
sales@hull.timberworld.co.uk

Kidderminster

Firs Trading Estate, Oldington Lane,
Kidderminster DY11 7QN
Tel: 01562 66557 Fax: 01562 864557
sales@kidderminster.timberworld.co.uk

Leeds*

Pontefract Road, Stourton, Leeds LS10 1SW
Tel: 0113 270 4086 Fax: 0113 272 3833
sales@leeds.timberworld.co.uk

Manchester*

Timber Terminal, Liverpool Road,
Cadishead, Manchester M44 5BZ
Tel: 0161 777 9000 Fax: 0161 777 9007
sales@manchester.timberworld.co.uk

North East*

Riverside Sawmills, Wagonway Road,
Hebburn NE31 1SP
Tel: 0191 428 6666 Fax: 0191 428 6622
sales@northeast.timberworld.co.uk

Reading*

Basingstoke Road, Reading RG2 0QN
Tel: 0118 975 1100 Fax: 0118 975 1900
sales@reading.timberworld.co.uk

Sheffield Central Call Collect

Chesterfield Road, Sheffield S8 0TW
Tel: 0114 255 7341 Fax: 0114 292 3660

Sheffield Mosborough*

Olympic Sawmills, Oxclose Park Road North,
Sheffield S20 8GN
Tel: 0114 276 4700 Fax: 0114 276 4701
sales@sheffield.timberworld.co.uk




Beecrofts

94 Garnett Street, Bradford BD3 9HB
Tel: 01274 725 276 Fax: 01274 767 111
sales@beecrofts.timberworld.co.uk

*COC Certified



Setting the standard for responsible forestry management.



We all have a responsibility to the environment.

At Arnold Laver Timber World we are committed to protecting the environment. We strongly believe it is our corporate and social responsibility to preserve world forests and promote effective forestry management. We have accepted the principles of sourcing materials from legal, sustainable, well managed forests and mills. All Arnold Laver Timber World branches in the UK have Chain of Custody implemented, independently evaluated and certified, to provide our customers with environmental assurances.