



Relax, we're the real experts  
in high quality mouldings.

# Moulding Solutions

www.timberworld.co.uk



## Moulded to perfection – choose from our extensive range of mouldings...

For a more traditional look, our extensive range of softwood or hardwood mouldings can add warmth to any dwelling.

For a more contemporary look, our MDF range offers versatility, easy installation, less wastage and no defects.

### **Softwood and Hardwood Mouldings**

Our broad standard range of mouldings are manufactured in our own modern sawmill at our central distribution centre at Mosborough, Sheffield, where we use state of the art technology and machinery, using extensively trained and experienced staff.

Our mouldings collection is one of the widest ranges of products available on the market, with over 120 standard profiles on offer.

In addition, we can offer a bespoke design and manufacturing service. Our Softwoods and Hardwood are supplied from reputable certified sources from various countries throughout the world so you can be assured of fine quality, environmentally certified products, every time.

### **MDF Mouldings**

To add to our product portfolio, we are a major stockist and supplier of MDF mouldings. Our experience in this field spans many years and we can therefore provide whatever technical support and advice you need.

Our MDF mouldings complement our traditional softwood and hardwood mouldings, which provides architects and end-users a comprehensive range and choice. With 16 depots around the country we carry huge stocks and are able to ensure reliable delivery wherever you need it. Selected ranges are available ex-stock, while other core range profiles can be delivered within 7 days.

# Moulding Solutions

[www.timberworld.co.uk](http://www.timberworld.co.uk)



# Moulding Solutions

[www.timberworld.co.uk](http://www.timberworld.co.uk)





# Moulding Solutions

www.timberworld.co.uk

## Skirting/Plinth



### Chamfered Plinth Skirting

- 19mm x 75 mm Softwood (14F x 69F)
- 19mm x 100mm Softwood (14F x 94F)
- 19mm x 125mm Softwood (14F x 94F)
- 25mm x 100mm MDF (18F x 94F)
- 25mm x 125mm MDF (18 x 119)
- 25mm x 150mm MDF (18 x 144)



### Torus/Regency OG Reverse Plinth/Skirting

- 25mm x 125m Softwood (20F x 119F)
- 25mm x 150mm Softwood (20F x 144F)
- 25mm x 175mm Softwood (20F x 169F)



### Torus/Ovolo/Lambs Tongue Reverse Plinth/Skirting

- 25mm x 125mm Softwood (20F x 119F)
- 25mm x 175mm Softwood (20F x 169F)
- 19mm x 125mm Softwood (14F x 119F)
- 19mm x 175mm Softwood (14F x 169F)



### OG Skirting/Plinth

- 25mm x 125mm MDF (18 x 119)
- 25mm x 150mm MDF (18 x 144)
- 25mm x 175mm MDF (18 x 169)
- 25mm x 200mm MDF (18 x 194)
- 25mm x 225mm MDF (18 x 219)



### Lambs Tongue Plinth/Skirting

- 25mm x 100mm MDF (18 x 94)
- 25mm x 125mm MDF (18 x 119)



### Moulded Plinth/Skirting

- 25mm x 225mm Softwood (20F x 219F)

## Skirting/Plinth



### Torus Plinth/Skirting

- 18mm x 100mm MDF (15 x 94)
- 25mm x 100mm MDF (18 x 94)
- 25mm x 125mm MDF (18 x 119)
- 25mm x 150mm MDF (18 x 144)
- 25mm x 175mm MDF (18 x 169)
- 25mm x 125mm (20F x 119F) Red Hardwood
- 25mm x 125mm (20F x 119F) White Oak



### Chamfered/BN/R.I.E Reverse Plinth/Skirting

- 19mm x 75mm Softwood (14F x 69F)
- 19mm x 100mm Softwood (14F x 94F)
- 19mm x 125mm Softwood (14F x 119F)

## Architraves



### Pencil Round Architrave

- 19mm x 50mm Softwood/MDF (14F x 44F softwood)
- 19mm x 63mm MDF (15 x 58)
- 19mm x 75mm MDF (15 x 69)
- 25mm x 50mm MDF (18 x 44)
- 25mm x 63mm MDF (18 x 58)
- 25mm x 75mm MDF (18 x 69)



### Sanitary/Lambs Tongue Ovolo Architrave

- 25mm x 50mm MDF (18 x 44)
- 25mm x 63mm MDF (18 x 58)
- 25mm x 75mm Softwood/MDF (20F x 69F softwood)



### Twice Pencil Round

- 18mm x 75mm MDF



### Bull Nose Architrave

- 19mm x 50mm Softwood (14F x 44F)



Certified products available



Setting the standard for responsible forestry management.

# Moulding Solutions

www.timberworld.co.uk




## Architraves Cont.



### Chamfered Architrave

- 19mm x 50mm Softwood/MDF (14F x 44F softwood)
- 19mm x 75mm MDF (15 x 69)
- 25mm x 50mm MDF (18 x 44)
- 25mm x 63mm MDF (18 x 58)
- 25mm x 75mm MDF (18 x 69)



### OG Architrave

- 18mm x 50mm MDF (15 x 44)
- 18mm x 63mm MDF (15 x 58)
- 18mm x 75mm MDF (15 x 69)
- 25mm x 50mm MDF (18 x 44)
- 25mm x 63mm MDF (18 x 58)
- 25mm x 75mm MDF (18 x 69)



### Torus Architrave

- 18mm x 50mm MDF (15 x 44)
- 18mm x 63mm MDF (15 x 58)
- 18mm x 75mm MDF (15 x 69)
- 25mm x 50mm MDF (19 x 44)
- 25mm x 75mm MDF/Softwood/Red Hardwood/White Oak (20F x 69F softwood)

## Door Casing - Linings - Frames



### Rebated Door Casing

- 38mm x 100mm Softwood (33F x 95F)
- 38mm x 115mm Softwood (33F x 107F)
- 38mm x 138mm Softwood (33F x 132F)
- 38mm x 150mm Softwood (33F x 145F)

### Lining Sets with loose stops

- 32mm x 115mm (27F x 107F)
- 32mm x 138mm (27F x 132F)


## Door Casing - Linings - Frames



### Rebated Door Frame Sets

- 63mm x 100mm (57F x 94F)
- 63mm x 115mm (57F x 107F)
- 63mm x 140mm (57F x 132F)
- 63mm x 150mm (57F x 145F)

MDF Casings are available to order



### Rebated Door Frame

- 63mm x 100mm Softwood (57F x 94F)

FD30/MDF/Linings & Casings available to order

## Cladding



### Sauna Pattern

- 19mm x 100mm Softwood (14F X 94F)



### PTGV Bead & Butt

- 19mm x 100mm Softwood (14F X 94F)



### PTGV

- 13mm x 100mm Softwood (8F X 94F)
- 13mm x 125mm Softwood (8F X 119F)
- 19mm x 100mm Softwood/Red Hardwood (14F X 94F)
- 19mm x 125mm Softwood (14F X 119F)
- 25mm x 125mm Softwood (20F X 119F)



### Shiplap

- 19mm x 125mm Softwood (14F X 119F)
- 25mm x 125mm Softwood (20F X 119F)



Certified products available



Setting the standard for responsible forestry management.



## Window Board

### Nosed & Tongued


- 25mm x 150mm MDF (18 x 144)
- 25mm x 200mm MDF (18 x 294)
- 25mm x 225mm Softwood/Red Hardwood (20F X 219F)
- 25mm x 250mm Red Hardwood (20F x 240F)
- 32mm x 150mm MDF (25 x 144)
- 32mm x 175mm MDF (25 x 169)
- 32mm x 200mm MDF (25 x 194)
- 32mm x 225mm Red Hardwood (26F x 218F)
- 32mm x 250mm MDF (25 x 244)
- 32mm x 275mm MDF (25 x 269)
- 32mm x 300mm MDF (25 x 294)

## Dado Rails - Decorative Moulds




### Dado Mould

- 25mm x 50mm Softwood (20F X 44F)
- 32mm x 75mm Softwood (28F X 69F)
- 25mm x 63mm MDF (18 x 58)



### Picture Rail

- 25mm x 63mm Softwood (20F X 57F)



### Panel Mould

- 32mm x 63mm Softwood (28F X 57F)



### Victorian Panel Mould

- 16mm x 38mm Softwood (10F X 34F)



### Barrel Mould

- 16mm x 38mm Softwood (10F X 34F)

## Flooring



### PTG


- 22 x 125mm Softwood (18F X 119F)
- 22 x 150mm Softwood (18F X 144F)
- 25 x 125mm Softwood (20F X 119F)
- 25 x 150mm Softwood (20F X 144F)
- 25 x 175mm Softwood (20F X 169F)

## Gutter



- 75 x 138mm Softwood (69F X 132F)
- 75 x 175mm Softwood (69F X 169F)
- 100 x 150mm Softwood (94F X 144F)
- 100 x 175mm Softwood (94F X 169F)

## Hand Rails



### Mop Stick Handrail

- 50 x 50mm Softwood (44F X 44F)



### Moulded Hand Rail

- 50 x 75mm Softwood (44F X 69F)



### Wall Hand Rail


- 38 x 100mm Softwood (33F X 94F)

# Moulding Solutions

www.timberworld.co.uk



## Beading



### Dowel

6mm Softwood/Light Hardwood  
9mm Softwood/Light Hardwood  
12mm Softwood/Light Hardwood  
15mm Softwood/Light Hardwood  
18mm Softwood/Light Hardwood  
22mm Softwood/Light Hardwood  
25mm Softwood  
31mm Softwood  
35mm Softwood



### Half Round

12mm x 25mm Softwood (5.5F X 18F)



### Corner Angle

25mm x 25mm Softwood (20F X 20F)  
32mm x 32mm Softwood (27F X 27F)  
38mm x 38mm Softwood (34F X 34F)



### Quadrant

13mm Softwood (10.5F x 10.5F)  
16mm Softwood (12.5F x 12.5F)  
19mm Softwood (15F x 15F)  
25mm Softwood (21F x 21F)

## Beading



### Scotia

16mm x 16mm Softwood (12F X 12F)  
19mm x 19mm Softwood (15F X 15F)  
25mm x 25mm Softwood (21F X 21F)



### Triangular fillet

25 x 25mm Softwood (20F X 20F)



### Parting Bead

13 x 25mm Softwood (8F X 21F)



### Staff Bead

19 x 25mm Softwood (15F X 21F)



### Chamfered Glazing Bead

16 x 25mm Softwood (9F X 21F)



### Glass Bead

13 x 13mm Softwood (10.5F X 10.5F)  
13 x 16mm Softwood (8.5 X 11)  
13 x 19mm Softwood (8.5F X 15F)  
16 x 19mm Softwood (12F X 15F)



Certified  
products  
available



Setting the standard for  
responsible forestry management.

# Moulding Solutions

www.timberworld.co.uk

## Planed



mm	13	19	25	32	38	50	63	75	100
25	s	s	s	x	s	s* -	x	s* -	s* -
32	x	x	x	x	x	s	x	s	s
38	s	s	s	x	s	s	x	s	s
50	s	s	s* -	s	s	s	x	s*	s*
63	x	x	x	x	x	x	x	x*	s
75	s	s	s* -	s	s	s*	x*	s	s
100	x	s	s* -	s	s	s*	x	s	s
125	x	s	s*	s	s	s	x	x	x
150	x	s	s* -	s	s	s*	x	x	x
175	na	x	s	s	x	x	x	x	x
200	na	x	s*	x	x	x	x	x	x
225	na	x	s* -	x	s	x	x	x	x
275	na	x	s	x	x	x	x	x	x

### Planed Redwood, Kiln Dried

Ex Stock s

Special Order x

\* Also available in Red Hardwood  
- Also Available in White Oak

If you do not see the size you need listed above, please enquire as larger and special sizes can be cut to order.

Our comprehensive stock range is further enhanced by in-house service facilities - Treatments, Strength Grading, Regularising, Cross-cutting, Arris, Tilt and cant rails, feather-edged, firrings, etc.



Certified products available



Setting the standard for responsible forestry management.

# Moulding Solutions

www.timberworld.co.uk



## Speciality Softwoods

We offer Western Red Cedar in a wide range of profiles and sizes to suit all applications, and can offer an expert advisory service to ensure that the most appropriate product is specified for each project.

If you require a profile that is not available from our stock ranges, we can also machine bespoke patterns on request.



**AL-1 14 x 94 fin.**  
87mm cover



**AL-2 19 x 144 fin.**  
137mm cover



**AL-3 19 x 144 fin.**  
137mm cover



**AL-4 19 x 144 fin.**  
135mm cover



**AL-5 19 x 144 fin.**  
135mm cover



**AL-6 19 x 144 fin.**  
137mm cover

## Speciality Softwoods



**AL-7 19 x 145 fin.**  
128mm cover



**AL-8 19 x 145 fin.**  
137mm cover



**AL-9 19 x 145 fin.**  
125mm cover



**AL-10 19 x 145 fin.**  
125mm cover

### Associated services

Complementing our extensive timber ranges, we also provide a full range of treatment services:

- Preservative
- Kiln drying
- Priming
- Fire retardant

**Please note: additional mouldings are available. Please contact your nearest branch for details.**

# Moulding Solutions

[www.timberworld.co.uk](http://www.timberworld.co.uk)



# Moulding Solutions

www.timberworld.co.uk



## Timber World Branches

### Birmingham\*

Dudley Road, Oldbury, West Midlands B69 3DA  
Tel: 0121 552 7788 Fax: 0121 544 7186  
sales@birmingham.timberworld.co.uk

### Bradford\*

Manningham Sawmills,  
Canal Road, Bradford BD2 1AR  
Tel: 01274 732861 Fax: 01274 737060  
sales@bradford.timberworld.co.uk

### Chesterfield

Brimington Road, Chesterfield S41 7UW  
Tel: 01246 271717 Fax: 01246 272255  
sales@chesterfield.timberworld.co.uk

### Hull\*

Crowle Street, Hull, HU9 1RH  
Tel: 01482 324525 Fax: 01482 216478  
sales@hull.timberworld.co.uk

### Kidderminster

Firs Trading Estate, Oldington Lane,  
Kidderminster DY11 7QN  
Tel: 01562 66557 Fax: 01562 864557  
sales@kidderminster.timberworld.co.uk

### Leeds\*

Pontefract Road, Stourton, Leeds LS10 1SW  
Tel: 0113 270 4086 Fax: 0113 272 3833  
sales@leeds.timberworld.co.uk

### Manchester\*

Timber Terminal, Liverpool Road,  
Cadishead, Manchester M44 5BZ  
Tel: 0161 777 9000 Fax: 0161 777 9007  
sales@manchester.timberworld.co.uk

### North East\*

Riverside Sawmills, Wagonway Road,  
Hebburn NE31 1SP  
Tel: 0191 428 6666 Fax: 0191 428 6622  
sales@northeast.timberworld.co.uk

### Reading\*

Basingstoke Road, Reading RG2 0QN  
Tel: 0118 975 1100 Fax: 0118 975 1900  
sales@reading.timberworld.co.uk

### Sheffield Central Call Collect

Chesterfield Road, Sheffield S8 0TW  
Tel: 0114 255 7341 Fax: 0114 292 3660

### Sheffield Mosborough\*

Olympic Sawmills, Oxclose Park Road North,  
Sheffield S20 8GN  
Tel: 0114 276 4700 Fax: 0114 276 4701  
sales@sheffield.timberworld.co.uk




### Becrofts

94 Garnett Street, Bradford BD3 9HB  
Tel: 01274 725 276 Fax: 01274 767 111  
sales@becrofts.timberworld.co.uk

\*COC Certified



Setting the standard for responsible forestry management.



We all have a responsibility to the environment. At Arnold Laver Timber World we are committed to protecting the environment. We strongly believe it is our corporate and social responsibility to preserve world forests and promote effective forestry management. We have accepted the principles of sourcing materials from legal, sustainable, well managed forests and mills. All Arnold Laver Timber World Branches in the UK have Chain of Custody implemented, independently evaluated and certified, to provide our customers with environmental assurances.