



Relax, we're the real experts
in beautiful softwoods.

Arnold Laver **TIMBER WORLD**
The essential tools for the trade



Welcome to a world of inspiration bringing you the finest quality and choice of softwood products

Softwood is renowned for its versatility and strength. Sourced from all over the globe, with a large breadth of applications and a remarkably aesthetic appeal, softwood can be used across a broad range of internal and external projects - from furniture and flooring, to decking, landscaping, external joinery and structural applications.

Timber is a renewable multi-purpose resource and, as well as being naturally sustainable, it is recyclable and biodegradable and therefore the most environmentally responsible building material available today.

Arnold Laver Timber World brings you the broadest and most comprehensive range of species and grades to cover all your requirements. A core range is held in stock at all branches, backed up by daily supplies from our National Distribution Centre.

As well as standard products, bespoke requirements are our speciality – machining, grading and treatment facilities are available group-wide.

Because of our long-standing alliances with the global brand leaders in softwood production, we can assure our customers of consistently high quality products, supported with sound environmental credentials.

Kiln Dried Redwood and Whitewood

FSC and PEFC Available

Size	Description		
100 x 225mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
100 x 200mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
100 x 100mm	Finnish/Swedish Sawfalling		Redwood
	- Green split, heart-free		
63 x 63mm	Finnish/Swedish Sawfalling		Redwood
	- Green split, heart-free		
63 x 75mm	Finnish/Swedish Sawfalling		Redwood
	- Green split, heart-free		
63 x 87mm	Finnish/Swedish Sawfalling		Redwood
	- Green split, heart-free		
75 x 75mm	Finnish/Swedish Sawfalling		Redwood
	- Green split, heart free		
75 x 225mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
75 x 200mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
75 x 175mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
75 x 150mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
75 x 125mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
75 x 100mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood

Size	Description		
63 x 225mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood
63 x 200mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
63 x 175mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
63 x 150mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
63 x 125mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood
63 x 100mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood
50 x 225mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
50 x 200mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
50 x 175mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood



Certified products available



Setting the standard for responsible forestry management.



Kiln Dried Redwood and Whitewood

FSC and PEFC Available

Size	Description		
50 x 175mm	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
50 x 150mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
50 x 125mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
50 x 100mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
38 x 275mm	Sawfalling Whitewood (excl. VI ths)		
38 x 250mm	Sawfalling Whitewood (excl. VI ths)		
38 x 225mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood
	Sawfalling Whitewood (excl. VI ths)		
38 x 200mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood
	Sawfalling Whitewood (excl. VI ths)		
38 x 175mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood
38 x 150mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood

Size	Description		
38 x 125mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
38 x 100mm	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
38 x 100mm	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
32 x 275mm	Sawfalling Whitewood (excl. VI ths)		
32 x 250mm	Sawfalling Whitewood (excl. VI ths)		
32 x 225mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood
	Sawfalling Whitewood (excl. VI ths)		
32 x 200mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood
32 x 175mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Finnish/Swedish	VI	Redwood
	Sawfalling Whitewood (excl. VI ths)		
32 x 150mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood



Certified products available



Setting the standard for responsible forestry management.



Kiln Dried Redwood and Whitewood

FSC and PEFC Available

Size	Description		
32 x 125mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
32 x 100mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
25 x 275mm	Russian	U/S	Redwood
	Russian	IV	Redwood
	Sawfalling Whitewood (excl. VI ths)		
25 x 250mm	Sawfalling Whitewood (excl. VI ths)		
25 x 225mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
	Sawfalling Whitewood (excl. VI ths)		
25 x 200mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
25 x 175mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
25 x 150mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
25 x 125mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
25 x 100mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood

Size	Description		
25 x 75mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
22 x 225mm	Sawfalling Whitewood (excl. VI ths)		
22 x 200mm	Sawfalling Whitewood (excl. VI ths)		
22 x 175mm	Sawfalling Whitewood (excl. VI ths)		
22 x 150mm	Sawfalling Whitewood (excl. VI ths)		
22 x 125mm	Sawfalling Whitewood (excl. VI ths)		
22 x 100mm	Sawfalling Whitewood (excl. VI ths)		
22 x 75mm	Sawfalling Whitewood (excl. VI ths)		
19 x 150mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
19 x 125mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
19 x 100mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
19 x 75mm	Russian	U/S	Redwood
	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Russian	IV	Redwood
	Finnish/Swedish	VI	Redwood
	Russian	V	Redwood
16 x 125mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Sawfalling Whitewood (excl. VI ths)		
	Sawfalling Whitewood (excl. VI ths)		
	Sawfalling Whitewood (excl. VI ths)		
	Sawfalling Whitewood (excl. VI ths)		
16 x 100mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Sawfalling Whitewood (excl. VI ths)		
16 x 75mm	Finnish/Swedish	U/S	Redwood
	Finnish/Swedish	V	Redwood
	Sawfalling Whitewood (excl. VI ths)		



Certified products available



Setting the standard for responsible forestry management.



Specialities

Kiln Dried No 2 Clear and Better Hemlock

Size	Description
100 x 100 (4" x 4")	only
75 x 125mm (3" x 5")	and wider
50 x 150mm (2" x 6")	and wider
75 x 75mm (3" x 3")	only
50 x 75mm (2" x 3")	only
38 x 75mm (1 1/2" x 3")	only

Kiln Dried No 2 Clear and Better Hemlock Vertical Grain

Size	Description
50 x 200mm (2" x 8")	only
50 x 125mm (2" x 5")	only
50 x 100mm (2" x 4")	only
63 x 125mm (2 1/2" x 5")	only

No 2 Clear & Better Western Red Cedar

Size	Description
19 x 100mm (3/4" x 4")	only
25 x 100mm (1" x 4")	only
25 x 150mm (1" x 6")	only
25 x 200mm (1" x 8")	only
32 x 100mm (1 1/4" x 4")	only
44 x 100mm (1 3/4" x 4")	only
50 x 100mm (2" x 4")	only
50 x 125mm (2" x 5")	only
50 x 150mm (2" x 6")	only
50 x 200mm (2" x 8")	only
50 x 250mm (2" x 10")	only
50 x 300mm (2" x 12")	only
75 x 100mm (3" x 4")	and wider
100 x 100mm (4" x 4")	and wider

Certified Products Available

Kiln Dried Quebec Yellow Pine

Size	Description
75 x 300mm (3" x 12")	
75 x 250mm (3" x 10")	
50 x 300mm (2" x 12")	
50 x 250mm (2" x 10")	
38 x 250mm (1 1/2" x 10")	
32 x 250mm (1 1/4" x 10")	
32 x 150mm (1 1/4" x 6")	
25 x 250mm (1" x 10")	
25 x 200mm (1" x 8")	
25 x 150mm (1" x 6")	
25 x 100mm (1" x 4")	

Scaffold boards, kiln dried

Size	Description
38 x 225mm	3.9m lengths - banded and BS kitemarked

Siberian Larch Kiln Dried FSC

Size	Description
25 x 100mm	
25 x 125mm	
25 x 150mm	
25 x 175mm	
25 x 200mm	
50 x 100mm	
50 x 125mm	
50 x 150mm	
50 x 175mm	
50 x 200mm	
38 x 100mm	
38 x 125mm	
38 x 150mm	



Specialities

Kiln Dries No 2 Clear and Better Douglas Fir

Size	Description
100 x 125mm (4" x 5")	and wider
75 x 125mm (3" x 5")	and wider
63 x 125mm (2 1/2" x 5")	and wider
50 x 125mm (2" x 5")	and wider
38 x 275mm (1 1/2" x 11")	pull outs
38 x 225mm (1 1/2" x 9")	pull outs
38 x 125mm (1 1/2" x 5")	and wider
25 x 125mm (1" x 5")	and wider

Speciality Timber Parana Pine, Kiln Dried

Size	Description
50 x 300mm	
38 x 300mm	
38 x 250mm	
38 x 225mm	
32 x 300mm	
32 x 250mm	
32 x 225mm	
25 x 300mm	
25 x 275mm	
25 x 250mm	
25 x 225mm	

Certified Products Available

Kiln Dries No 2 Clear and Better Douglas Fir Vertical Grain

Size	Description
50 x 200mm	(2" x 8")
50 x 125mm	(2" x 5")
50 x 100mm	(2" x 4")
63 x 125mm	(2 1/2" x 5")

Constructional Grade Bulks

Size	Description
300mm x 300mm	
150mm x 300mm	
150mm x 150mm	

Southern Yellow Pine, Prime & Better, Kiln Dried

Size	Description
50 x 300mm	(2" x 12")
38 x 300mm	(1 1/2" x 12")
38 x 250mm	(1 1/2" x 10")
32 x 300mm	(1 1/4" x 12")
32 x 250mm	(1 1/4" x 10")
25 x 300mm	(1" x 12")
25 x 250mm	(1" x 10")
75 x 200mm	(3" x 8") and wider
100 x 200mm	(4" x 8") and wider

Sawn Carcassing

FSC and PEFC Available

sizes in mm	13	19	25	32	38	47	63	75	100
38	x	o	o	x	x	x	x	o	o
50	x	x	o	x	o	o	x	o	o
63	x	x	x	x	x	x	x	x	x
75	x	o	o	x	o	o	x	o	o
100	x	o	o	x	o	o	x	o	o
125	x	x	o	x	o	o	x	x	x
150	x	x	o	x	o	o	o	o	o
175	n/a	x	o	x	o	o	o	o	x
200	n/a	x	o	o	o	o	o	o	o
225	n/a	x	o	o	o	o	o	o	o
300	n/a	n/a	x	x	x	o	x	o	o

Ex Stock: o Special Order: x

If you do not see the size you need listed above, please enquire as larger and special size can be cut to order. Our comprehensive stock range is further enhanced by in-house services facilities - treatments, strength grading, regularising, cross-cutting, aris, tilt and cant rails, feather-edged, firrings, etc.

Softwood Solutions

www.timberworld.co.uk



Timber World Branches

Birmingham*

Dudley Road, Oldbury, West Midlands B69 3DA
Tel: 0121 552 7788 Fax: 0121 544 7186
sales@birmingham.timberworld.co.uk

Bradford*

Manningham Sawmills,
Canal Road, Bradford BD2 1AR
Tel: 01274 732861 Fax: 01274 737060
sales@bradford.timberworld.co.uk

Chesterfield

Brimington Road, Chesterfield S41 7UW
Tel: 01246 271717 Fax: 01246 272255
sales@chesterfield.timberworld.co.uk

Hull*

Crowle Street, Hull, HU9 1RH
Tel: 01482 324525 Fax: 01482 216478
sales@hull.timberworld.co.uk

Kidderminster

Firs Trading Estate, Oldington Lane,
Kidderminster DY11 7QN
Tel: 01562 66557 Fax: 01562 864557
sales@kidderminster.timberworld.co.uk

Leeds*

Pontefract Road, Stourton, Leeds LS10 1SW
Tel: 0113 270 4086 Fax: 0113 272 3833
sales@leeds.timberworld.co.uk

Manchester*

Timber Terminal, Liverpool Road,
Cadishead, Manchester M44 5BZ
Tel: 0161 777 9000 Fax: 0161 777 9007
sales@manchester.timberworld.co.uk

North East*

Riverside Sawmills, Wagonway Road,
Hebburn NE31 1SP
Tel: 0191 428 6666 Fax: 0191 428 6622
sales@northeast.timberworld.co.uk

Reading*

Basingstoke Road, Reading RG2 0QN
Tel: 0118 975 1100 Fax: 0118 975 1900
sales@reading.timberworld.co.uk

Sheffield Central Call Collect

Chesterfield Road, Sheffield S8 0TW
Tel: 0114 255 7341 Fax: 0114 292 3660

Sheffield Mosborough*

Olympic Sawmills, Oxclose Park Road North,
Sheffield S20 8GN
Tel: 0114 276 4700 Fax: 0114 276 4701
sales@sheffield.timberworld.co.uk



BeeCrofts

94 Garnett Street, Bradford BD3 9HB
Tel: 01274 725 276 Fax: 01274 767 111
sales@beecrofts.timberworld.co.uk

*COC Certified



Setting the standard for responsible forestry management.



We all have a responsibility to the environment.

At Arnold Laver Timber World we are committed to protecting the environment. We strongly believe it is our corporate and social responsibility to preserve world forests and promote effective forestry management. We have accepted the principles of sourcing materials from legal, sustainable, well managed forests and mills. All Arnold Laver Timber World branches in the UK have Chain of Custody implemented, independently evaluated and certified, to provide our customers with environmental assurances.