



GRUPO SIERO

Sweet chestnut

DECKING




SWEET CHESTNUT FINGER-JOINTED DECKING

As an ecological and recyclable natural material, wood offers many technical and creative possibilities.

The choice of wood species is key for a good performance and longevity of the installation. The two properties to consider are the natural durability and dimensional stability of the chosen species. In this regard, chestnut wood stands out for being naturally durable without the need to apply any chemical treatment. It is a highly stable wood without tendency to deform; i.e., to changes of humidity and temperature, its dimensions vary very little.




Wood is increasingly popular for outdoor applications. This boom has involved society in general and architects who increasingly demand sustainable solutions.



TECHNICAL PROPERTIES OF THE PRODUCT

- **Type of glue:** MUF, type 1 in accordance with the standard UNE-EN301
- **Formaldehyde:** Class E1 in accordance with the standard UNE-EN 13986
- **Moisture content:** 12 ±2%
- **Finger jointed length:** from 3000 to 6000mm
- **Width:** 105-115-125-135-145mm
- **Thickness:** 21 y 32mm







Los Cuetos s/n Argüelles. 33188 Siero - Asturias (España)

Tel: +34 985 742 012 - Fax: +34 984 742 350

siero@sierolam.com

www.sierolam.com



La marca de la gestión forestal responsable

ISO 9001
BUREAU VERITAS
Certification



PEFC/14-38-00025

FSC/PEFC certified products on request